

# WORHAN®

*Products catalogue - 2026*

## PRICE

Please login to see prices

## FEATURES

Gross Weight: **11.000 kg**

Height (with packaging): **8.000 cm**

Length (with packaging): **162.000 cm**

Width (with packaging): **34.000 cm**



### MADE OF HIGH DENSITY ALUMINUM

| Model                 | TP240   |
|-----------------------|---------|
| Capacity              | 300 kg  |
| Max Length (Extended) | 240 cm  |
| Min Length (Folded)   | 160 cm  |
| Max Width             | 31.8 cm |
| Min Width             | 26.6 cm |
| Weight                | 9.8 kg  |

## DESCRIPTION

The product is made of high quality aluminum according to EN and CE standards. Interlocking aluminum profile design to support weight up to 300kg!!! Featuring 3 heavy-duty handles and an engraved, non-slip surface for enhanced grip. Weight - 9.8kg., Min Length (folded) - 160cm., Max Length (extended) - 240cm., Min Width - 28.6cm., Max Width - 31.8cm., Min Thickness - 5cm., Max Thickness - 6cm., Overlap distance when fully extended - 61cm. (according to the attached image with dimensions) GERMAN BRAND. EXCEPTIONAL CUSTOMER SERVICE. Super fast installation. Ability to deploy and use the ramp at any length between the Min and Max length values. Integrated aluminum maximum length stops. Why you should buy the products we manufacture: During manufacture, we use thicker gauge materials for greater strength and increased stability. We are specialized and have many years of experience in the production of ladders and ramps. As a German brand company, we stand behind our products in the long term. The highest quality aluminum guarantees the robustness and longevity of our products.

## PRICE

Please login to see prices



### FABRIQUÉ EN ALUMINIUM HAUTE DENSITÉ

| Model                  | TP300   |
|------------------------|---------|
| Capacité Maximal       | 300 kg  |
| Longueur Max (Déployé) | 300 cm  |
| Longueur Min (Plié)    | 195 cm  |
| Largeur Max            | 31.8 cm |
| Largeur Min            | 28.6 cm |
| Poids                  | 11.6 kg |

## FEATURES

Gross Weight: **13.500 kg**

Height (with packaging): **10.000 cm**

Length (with packaging): **199.000 cm**

Width (with packaging): **35.000 cm**

## DESCRIPTION

Our product exemplifies excellence, constructed from premium-grade aluminum that adheres to the stringent EN and CE standards. The innovative interlocking aluminum profile design ensures steadfast support for weights up to an impressive 300kg! Featuring 3 heavy-duty handles and an engraved, non-slip surface for enhanced grip. Weight - 11.6kg., Min Length (folded) - 195cm., Max Length (extended) - 300cm., Min Width - 28.6cm., Max Width - 31.8cm., Min Thickness - 5cm., Max Thickness - 6cm., Overlap distance when fully extended - 71cm. (according to the attached image with dimensions) GERMAN BRAND. EXCEPTIONAL CUSTOMER SERVICE. Installation is a breeze, thanks to the user-friendly design that allows for super-fast deployment. Our ramp is ingeniously engineered to be used at any length between the minimum and maximum values. Equipped with Integrated aluminum maximum length stoppers. Choosing our products signifies a commitment to superior quality. Our manufacturing process utilizes thicker gauge materials, enhancing strength and stability. With years of specialized experience in ladder and ramp production, we, as a German brand, offer steadfast support and stand by our products in the long term. The use of the highest quality aluminum guarantees the robustness and longevity of our exceptional products.