

WORHAN®

Products catalogue - 2026

PRICE

Please login to see prices

FEATURES

Gross Weight:	31.000 kg
Height (with packaging):	46.000 cm
Length (with packaging):	24.000 cm
Width (with packaging):	152.000 cm



DESCRIPTION

This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND. EXCEPTIONAL CUSTOMER SERVICE. The weight of each ramp is 16 kg (or 32 kg for a pair). Maximum loading capacity - 4000kg, Each ramp is 180cm long and 45cm wide. Heavy duty construction and high strength aluminum used in the manufacturing process will ensure product safety and longevity. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

PRICE

Please login to see prices

FEATURES

Gross Weight:	24.500 kg
Height (with packaging):	80.000 cm
Length (with packaging):	15.000 cm
Width (with packaging):	108.000 cm



DESCRIPTION

Product features and dimensions: Length unfolded: 205cm Width: 78cm Weight: 24kg Max loading capacity: 400kg (882lbs) Dimensions when folded : 105cm x 13cm x 78cm Max. recommended working height: 56cm Due to strong industry demand we have created this heavy duty foldable ramp which will answer the needs of many professionals and will take away the everyday burden when loading heavy equipment into and out of the transport vehicles. It is an essential product which will prevent back injuries and speed up the unloading and offloading processes. Will neatly fold away when not in use taking minimal space. The unbeatable 400kg loading capacity will surpass the needs even for the most demanding tasks. High tensile anodized aluminum along with specifically designed ultra non-slip surface, raised side wall feature will ensure safe operation and longevity of the product for many years to come. In addition a stainless steel locking pin will keep the ramps top part (lip) coupled with the support surface of the vehicle. This ramp can also be used in any home applications, where increased loading capacity, higher rigidity or stability is required. Ramp is equipped with comfortable and heavy duty carry handle. Product has been manufactured according to strict CE requirements and has the related certification.

PRICE

Please login to see prices

FEATURES

Gross Weight:	22.000 kg
Height (with packaging):	17.000 cm
Length (with packaging):	96.000 cm
Width (with packaging):	80.000 cm



DESCRIPTION

Max recommended working height - 37cm., This product is made of high quality aluminum (EN-131 and CE standards)., Maximum loading capacity: 400kg., Dimensions: Length unfolded: 145cm., Length folded: 76cm., Width: 92cm., Weight: 20kg., Dimensions when folded - 76cm x 14cm x 92cm., This is a must have product which will prevent back injuries and will speed up the loading and unloading process., High-strength anodized aluminum as well as the ultra-non-slip surface. The ramp is equipped with a comfortable and resistant carrying handles.,

PRICE

Please login to see prices

FEATURES

Gross Weight:	26.700 kg
Height (with packaging):	17.000 cm
Length (with packaging):	120.000 cm
Width (with packaging):	76.000 cm



DESCRIPTION

Max recommended working height - 60cm., This product is made of high quality aluminum (EN-131 and CE standards)., Maximum loading capacity: 400kg., Dimensions: Length unfolded: 225cm., Length folded: 116cm., Width: 72cm., Weight: 26kg., Dimensions when folded - 116cm x 14cm x 72cm., This is a must have product which will prevent back injuries and will speed up the loading and unloading process., High-strength anodized aluminum as well as the ultra-non-slip surface. The ramp is equipped with a comfortable and resistant carrying handles.,

PRICE

Please login to see prices

FEATURES

Gross Weight:	19.600 kg
Height (with packaging):	18.000 cm
Length (with packaging):	97.000 cm
Width (with packaging):	79.000 cm



DESCRIPTION

Technical specifications: Length: - 182cm, Width - 74cm, Thickness/Height - 5cm, Weight - 17.8kg., Maximum working height - 53cm., Maximum loading - 300kg. Fully folded ramp dimensions: Length: - 95cm, Width - 77cm, Height - 15cm. High traction anti-slip surface. The ramp is a tri-fold design, meaning it consists of three connected sections that fold together for compact storage and transport and is constructed from aluminum, making it both lightweight and durable for long-term use. The surface is covered with a black, high-traction material to provide grip and prevent slipping. The hinge system along the fold lines ensures smooth operation and secure alignment when unfolding. A built-in handle on the side allows for convenient carrying when the ramp is folded. Locking pins at the edges help secure the ramp in place and prevent accidental movement. The ramp is designed for mobility aids such as wheelchairs and scooters, enabling access over steps, curbs, or raised platforms. Its compact foldable structure makes it suitable for both indoor and outdoor use, providing accessibility on the go.

PRICE

Please login to see prices

FEATURES

Gross Weight:	30.000 kg
Height (with packaging):	17.000 cm
Length (with packaging):	128.000 cm
Width (with packaging):	80.000 cm



DESCRIPTION

Max recommended working height - 74cm., This product is made of high quality aluminum (EN-131 and CE standards)., Maximum loading capacity: 400kg., Dimensions: Length unfolded: 245cm., Length folded: 126cm., Width: 78cm., Weight: 30kg., Dimensions when folded - 126cm x 14cm x 78cm., This is a must have product which will prevent back injuries and will speed up the loading and unloading process., High-strength anodized aluminum as well as the ultra-non-slip surface. The ramp is equipped with a comfortable and resistant carrying handles.,

PRICE

Please login to see prices


FEATURES

Gross Weight: **4.000 kg**

Height (with packaging): **7.000 cm**

Length (with packaging): **168.000 cm**

Width (with packaging): **22.000 cm**



DESCRIPTION

Handrail for HR7 HR145 HR225 HR225