

Products catalogue - 2025

Mobility Ramp 61 cm (R2)

Item ID: R2



DESCRIPTION

Maximum recommended working height: 18cm., Dimensions: Length unfolded: 61cm., Length folded: 61cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 5.5kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. This ramp folds up very easily., Resistant and non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

Mobility Ramp 91.5cm (R3)

Item ID: R3



DESCRIPTION

Maximum recommended working height: 30.5cm., Dimensions: Length unfolded: 91.5cm., Length folded: 91.5cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 7.4kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. This ramp folds up very easily., Resistant and non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

Mobility Ramp 1.22m (1R4)

Item ID: 1R4



DESCRIPTION

Maximum recommended working height: 35.5cm., Dimensions: Length unfolded: 122cm., Length folded: 122cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 11kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. This ramp folds up very easily., Resistant and non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

Mobility Ramp 1.22m (R4)

PRICE Please login to see prices

FEATURES

Gross Weight:	11.500 kg
Height (with packaging):	40.000 cm
Length (with packaging):	24.000 cm
Width (with packaging):	65.000 cm



DESCRIPTION

Maximum recommended working height: 35.5cm., Dimensions: Length unfolded: 122cm., Length folded: 61cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 11.5kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. This ramp folds up very easily (twice: in length and width)., Resistant and non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

Item ID: R4

Mobility Ramp 1.53m (1R5)

Item ID: 1R5

PRICE Please login to see prices NON-SLIP LOAD SURFACE CAPACITY STAINLESS STEEL HINGE 1 SAFETY **FEATURES** FOLDABLE Gross Weight: 14.000 kg 185 CONVENIENT 272 kg Height (with packaging): 40.000 cm TRANSPORTATION 150 ct SLOPED Length (with packaging): 14.000 cm ANSITION 74 cm Width (with packaging): 153.000 cm 13 kg

DESCRIPTION

Maximum recommended working height: 41cm., Dimensions: Length unfolded: 153cm., Length folded: 153cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 13kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. This ramp folds up very easily., Resistant and non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

Mobility Ramp 1.53m (R5)

PRICE Please login to see prices

FEATURES

Gross Weight:	14.000 kg
Height (with packaging):	40.000 cm
Length (with packaging):	24.000 cm
Width (with packaging):	79.000 cm



DESCRIPTION

Maximum recommended working height: 41cm., Dimensions: Length unfolded: 153cm., Length folded: 76.5cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 13kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. This ramp folds up very easily (twice: in length and width)., Resistant and non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

Item ID: R5

Mobility Ramp 1.83m (R6)

PRICE Please login to see prices

FEATURES

Gross Weight:	16.000 kg
Height (with packaging):	40.000 cm
Length (with packaging):	24.000 cm
Width (with packaging):	95.000 cm



DESCRIPTION

Maximum recommended working height: 51cm., Dimensions: Length unfolded: 183cm., Length folded: 91.5cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 15kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. This ramp folds up very easily (twice: in length and width)., Resistant and non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

Worhan GmbH Lindenweg 73, 25436 Tornesch Deutschland www.worhan.de info@worhan.de

Item ID: R6

Mobility Ramp 2.15m (R7)

Item ID: R7



DESCRIPTION

Maximum recommended working height: 59cm., Dimensions: Length unfolded: 215cm., Length folded: 107.5cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 18.6kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. This ramp folds up very easily (twice: in length and width)., Resistant and non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

Worhan GmbH Lindenweg 73, 25436 Tornesch Deutschland

Mobility Ramp 2.44m (R8)

PRICE Please login to see prices

FEATURES

Gross Weight:	23.000 kg
Height (with packaging):	40.000 cm
Length (with packaging):	24.000 cm
Width (with packaging):	125.000 cm



DESCRIPTION

Maximum recommended working height: 69cm., Dimensions: Length unfolded: 244cm., Length folded: 122cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 21.2kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. This ramp folds up very easily (twice: in length and width)., Resistant and non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

Item ID: R8

Mobility Ramp 3.05m (R10)

Item ID: R10

PRICE Please login to see prices

FEATURES

Gross Weight:	29.900 kg
Height (with packaging):	40.000 cm
Length (with packaging):	24.000 cm
Width (with packaging):	155.000 cm



DESCRIPTION

Maximum recommended working height: 84cm., Dimensions: Length unfolded: 305cm., Length folded: 152cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 26kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. This ramp folds up very easily (twice: in length and width)., Resistant and non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

Mobility Ramp 61 cm (R2J)

PRICE Please login to see prices

FEATURES

Gross Weight:	6.100 kg
Height (with packaging):	40.000 cm
Length (with packaging):	14.000 cm
Width (with packaging):	63.500 cm



DESCRIPTION

Maximum recommended working height: 18cm., Dimensions: Length unfolded: 61cm., Length folded: 61cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 5.6kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. Increased anti-slip feature., This ramp folds up very easily., Resistant and EXTRA non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

Item ID: R2J

Mobility Ramp 91.5cm (R3J)

PRICE Please login to see prices

FEATURES

Gross Weight:	8.200 kg
Height (with packaging):	40.000 cm
Length (with packaging):	14.000 cm
Width (with packaging):	94.000 cm



DESCRIPTION

Maximum recommended working height: 30.5cm., Dimensions: Length unfolded: 91.5cm., Length folded: 91.5cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 7.5kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. Increased anti-slip feature., This ramp folds up very easily., Resistant and EXTRA non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

Item ID: R3J

Mobility Ramp 1.22m (1R4J)

Item ID: 1R4J

PRICE Please login to see prices

FEATURES

Gross Weight:	11.500 kg
Height (with packaging):	40.000 cm
Length (with packaging):	14.000 cm
Width (with packaging):	122.000 cm



DESCRIPTION

Maximum recommended working height: 35.5cm., Dimensions: Length unfolded: 122cm., Length folded: 122cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 11.1kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. Increased anti-slip feature., This ramp folds up very easily., Resistant and EXTRA non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

Mobility Ramp 1.22m (R4J)

Item ID: R4J

PRICE Please login to see prices

FEATURES

Gross Weight:	11.500 kg
Height (with packaging):	40.000 cm
Length (with packaging):	24.000 cm
Width (with packaging):	65.000 cm



DESCRIPTION

Maximum recommended working height: 35.5cm., Dimensions: Length unfolded: 122cm., Length folded: 61cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 11.6kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. Increased anti-slip feature., This ramp folds up very easily (twice: in length and width)., Resistant and EXTRA non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

Mobility Ramp 1.53m (1R5J)

Item ID: 1R5J

PRICE Please login to see prices

FEATURES

Gross Weight:	14.000 kg
Height (with packaging):	40.000 cm
Length (with packaging):	14.000 cm
Width (with packaging):	153.000 cm



DESCRIPTION

Maximum recommended working height: 41cm., Dimensions: Length unfolded: 153cm., Length folded: 153cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 13.1kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. Increased anti-slip feature., This ramp folds up very easily., Resistant and EXTRA non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

Mobility Ramp 1.53m (R5J)

Item ID: R5J

PRICE Please login to see prices

FEATURES

Gross Weight:	14.000 kg
Height (with packaging):	40.000 cm
Length (with packaging):	24.000 cm
Width (with packaging):	79.000 cm



DESCRIPTION

Maximum recommended working height: 41cm., Dimensions: Length unfolded: 153cm., Length folded: 76.5cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 13.1kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. Increased anti-slip feature., This ramp folds up very easily (twice: in length and width)., Resistant and EXTRA non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

Mobility Ramp 1.83m (R6J)

Item ID: R6J

PRICE Please login to see prices

FEATURES

Gross Weight:	16.000 kg
Height (with packaging):	40.000 cm
Length (with packaging):	24.000 cm
Width (with packaging):	95.000 cm



DESCRIPTION

Maximum recommended working height: 51cm., Dimensions: Length unfolded: 183cm., Length folded: 91.5cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 15.2kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. Increased anti-slip feature., This ramp folds up very easily (twice: in length and width)., Resistant and EXTRA non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

Mobility Ramp 2.15m (R7J)

Item ID: R7J

PRICE Please login to see prices

FEATURES

Gross Weight:	20.000 kg
Height (with packaging):	40.000 cm
Length (with packaging):	24.000 cm
Width (with packaging):	110.000 cm



DESCRIPTION

Maximum recommended working height: 59cm., Dimensions: Length unfolded: 215cm., Length folded: 107.5cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 18.8kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. Increased anti-slip feature., This ramp folds up very easily (twice: in length and width)., Resistant and EXTRA non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products.

Mobility Ramp 2.44m (R8J)

Item ID: R8J

PRICE Please login to see prices

FEATURES

Gross Weight:	23.000 kg
Height (with packaging):	40.000 cm
Length (with packaging):	24.000 cm
Width (with packaging):	125.000 cm



DESCRIPTION

Maximum recommended working height: 69cm., Dimensions: Length unfolded: 244cm., Length folded: 122cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 21.4kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. Increased anti-slip feature., This ramp folds up very easily (twice: in length and width)., Resistant and EXTRA non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

Mobility Ramp 3.05m (R10J)

Item ID: R10J

PRICE Please login to see prices

FEATURES

Gross Weight:	29.900 kg
Height (with packaging):	40.000 cm
Length (with packaging):	24.000 cm
Width (with packaging):	155.000 cm



DESCRIPTION

Maximum recommended working height: 84cm., Dimensions: Length unfolded: 305cm., Length folded: 152cm., Width unfolded: 74cm., Width folded: 37cm., Weight: 26.2kg., Max loading: 272kg., This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND., EXCEPTIONAL CUSTOMER SERVICE. Increased anti-slip feature., This ramp folds up very easily (twice: in length and width)., Resistant and EXTRA non-slippery surface even in wet or rainy weather., Durable product over time., Material: high quality anodized aluminium., optimized, solid & unique design., Very practical for handling or transportation & storage. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products.

Heavy duty ramps (2 ramps) 180cm (4000kg) HR6

Item ID: HR6

PRICE Please login to see prices

FEATURES

Gross Weight:	31.000 kg
Height (with packaging):	46.000 cm
Length (with packaging):	24.000 cm
Width (with packaging):	152.000 cm



DESCRIPTION

This product is made of high quality aluminum (EN-131 and CE standards). GERMAN BRAND. EXCEPTIONAL CUSTOMER SERVICE. The weight of each ramp is 16 kg (or 32 kg for a pair). Maximum loading capacity - 4000kg, Each ramp is 180cm long and 45cm wide. Heavy duty construction and high strength aluminum used in the manufacturing process will ensure product safety and longevity. Why you should buy our products? We use thicker gauge materials for more strength and increased stability., We specialized and have many years of experience in the production of a ladders and ramps., As a German brand company, we stand behind our products in the long term., The highest quality aluminum guarantees the robustness and longevity of our products.

Worhan GmbH Lindenweg 73, 25436 Tornesch Deutschland

Heavy duty foldable ramp 205cm Motorbike Wheelchair (400kg) HR7



DESCRIPTION

Product features and dimensions: Length unfolded: 205cm Width: 78cm Weight: 24kg Max loading capacity: 400kg (882lbs) Dimensions when folded : 105cm x 13cm x 78cm Max. recommended working height: 56cm Due to strong industry demand we have created this heavy duty foldable ramp which will answer the needs of many professionals and will take away the everyday burden when loading heavy equipment into and out of the transport vehicules. It is an essential product which will prevent back injuries and speed up the unloading and offloading processes. Will neatly fold away when not in use taking minimal space. The unbeatable 400kg loading capacity will surpass the needs even for the most demanding tasks. High tensile anodized aluminum along with specifically designed ultra non-slip surface, raised side wall feature will ensure safe operation and longevity of the product for many years to come. In addition a stainless steel locking pin will keep the ramps top part (lip) coupled with the support surface of the vehicule. This ramp can also be used in any home applications, where increased loading capacity, higher rigidity or stability is required. Ramp is equipped with comfortable and heavy duty carry handle. Product has been manufactured according to strict CE requirements and has the related certification.

Worhan GmbH Lindenweg 73, 25436 Tornesch Deutschland

Pet Ramp 183 x 38cm DR38

Item ID: DR38

PRICE HERGESTELLT AUS HOCHDICTHEM ALUMINIUM Please login to see prices RUTSCHFESTE OBERFLÄCHE 8 TRAGFÄHIGKEIT **FEATURES** Gross Weight: 7.000 kg BEQUEMER Height (with packaging): 41.000 cm Length (with packaging): 16.000 cm SPERR-MECHANISMUS ROBUSTES Width (with packaging): 95.000 cm

DESCRIPTION

Recommended maximum working height - 46 cm. This product is made of high quality aluminum. Maximum capacity: 113kg GERMAN BRAND. EXCEPTIONAL CUSTOMER SERVICE. Dimensions: * Unfolded Length: 183cm * Folded Length: 93cm * Width: 38cm * Weight: 5.9kg * Dimensions when folded - 93cm x 12cm x 38cm High resistance anodized aluminum and anti-slip surface. High and superior quality. Integrated carry handle Why you should buy the products we make: During manufacturing, we use thicker materials, for greater strength and greater stability. We are specialized and have many years of experience in the production of stairs and ramps. As a German brand company, we stand behind our products in the long term. The highest quality aluminum guarantees the robustness and longevity of our products.

Worhan GmbH Lindenweg 73, 25436 Tornesch Deutschland

Pet Ramp 183 x 48cm DR48

Item ID: DR48

PRICE Please login to see prices

FEATURES

Gross Weight:	9.000 kg
Height (with packaging):	51.000 cm
Length (with packaging):	16.000 cm
Width (with packaging):	95.000 cm



DESCRIPTION

Recommended maximum working height - 46 cm. This product is made of high quality aluminum. Maximum capacity: 113kg GERMAN BRAND. EXCEPTIONAL CUSTOMER SERVICE. Dimensions: * Unfolded Length: 183cm * Folded Length: 93cm * Width: 48cm * Weight: 7.4kg * Dimensions when folded - 93cm x 12cm x 48cm High resistance anodized aluminum and anti-slip surface. High and superior quality. Integrated carry handle Why you should buy the products we make: During manufacturing, we use thicker materials, for greater strength and greater stability. We are specialized and have many years of experience in the production of stairs and ramps. As a German brand company, we stand behind our products in the long term. The highest quality aluminum guarantees the robustness and longevity of our products.

Worhan GmbH Lindenweg 73, 25436 Tornesch Deutschland

Threshold Ramp 70x55cm (TR55)

Item ID: TR55

PRICE Please login to see prices

FEATURES

Gross Weight:	4.200 kg
Height (with packaging):	2.400 cm
Length (with packaging):	70.000 cm
Width (with packaging):	55.000 cm



MADE OF HIGH DENSITY ALUMINUM

DESCRIPTION

This ramp will simplify the crossing of obstacles like: high thresholds, wires, pipes, and other places that prevent the practical movement of people or cargo. Manufactured according to EN-131 and CE standards Technical specifications: Size: 70cm x 55cm, Weight 3.7kg, Maximum load capacity: 272kg, designed to overcome obstacles 5cm high. GERMAN BRAND. EXCEPTIONAL CUSTOMER SERVICE. The ramp support points at each end are equipped with protection to prevent scratches on the floor. No assembly is required. Ideal for getting around comfortably in a wheelchair, scooter, wheelbarrow, etc. A simple and durable anodized aluminum construction that does not rust. Easy to remove if needed. The non-slip surface of the ramp ensures safety for users. Why should you buy the products we manufacture: During manufacture, we use thicker gauge materials for greater strength and increased stability. We specialize in and have many years of experience in the production of ladders and ramps. As a German brand company, we stand behind our products.

Threshold Ramp 74x60cm (TR60)

Item ID: TR60

PRICE Please login to see prices

FEATURES

Gross Weight:	7.100 kg
Height (with packaging):	3.000 cm
Length (with packaging):	75.000 cm
Width (with packaging):	61.000 cm



DESCRIPTION

This ramp will simplify the crossing of obstacles like: high thresholds, wires, pipes, and other places that prevent the practical movement of people or cargo. Manufactured according to EN-131 and CE standards Technical specifications: Size: 74cm x 60cm, Weight 6.4kg, Maximum load capacity: 400kg, designed to overcome obstacles 6cm high. Manufactured from 5mm thick checker plate. GERMAN BRAND. EXCEPTIONAL CUSTOMER SERVICE. The ramp support points at each end are equipped with protection to prevent scratches on the floor. No assembly is required. Ideal for getting around comfortably in a wheelchair, scooter, wheelbarrow, etc. A simple and durable anodized aluminum construction that does not rust. Easy to remove if needed. The non-slip surface of the ramp ensures safety for users. Why should you buy the products we manufacture: During manufacture, we use thicker gauge materials for greater strength and increased stability. We specialize in and have many years of experience in the production of ladders and ramps. As a German brand company, we stand behind our products in the long term. The highest quality aluminum guarantees the robustness and longevity of our products.